UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/779,719	02/08/2001	Edward G. Tiedemann JR.	PA792D1	5285
	7590 04/10/200 INCORPORATED	EXAMINER		
5775 MOREHO	OUSE DR.	NGUYEN, TOAN D		
SAN DIEGO, CA 92121			ART UNIT	PAPER NUMBER
			2616	
			NOTIFICATION DATE	DELIVERY MODE
			04/10/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

us-docketing@qualcomm.com kascanla@qualcomm.com nanm@qualcomm.com

	Application No.	Applicant(s)		
	09/779,719	TIEDEMANN ET AL.		
Office Action Summary	Examiner	Art Unit		
	TOAN D. NGUYEN	2616		
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet with the	correspondence address		
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING I - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perior - Failure to reply within the set or extended period for reply will, by statu. Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION I.136(a). In no event, however, may a reply be to divide apply and will expire SIX (6) MONTHS from the cause the application to become ABANDON	N. imely filed m the mailing date of this communication. ED (35 U.S.C. § 133).		
Status				
Responsive to communication(s) filed on 15. This action is FINAL . 2b) ☐ This action is FINAL . Since this application is in condition for allow closed in accordance with the practice under	is action is non-final. ance except for formal matters, p			
Disposition of Claims				
4) Claim(s) 1 and 3-14 is/are pending in the approximate 4a) Of the above claim(s) is/are withdr 5) Claim(s) is/are allowed. 6) Claim(s) 1 and 3-14 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and	rawn from consideration.			
Application Papers				
9) ☐ The specification is objected to by the Examir 10) ☑ The drawing(s) filed on 28 February 2001 is/a Applicant may not request that any objection to the Replacement drawing sheet(s) including the corre 11) ☐ The oath or declaration is objected to by the Examiration is objected.	are: a)⊠ accepted or b)⊡ object e drawing(s) be held in abeyance. Se ection is required if the drawing(s) is o	ee 37 CFR 1.85(a). bjected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summar Paper No(s)/Mail I 5) Notice of Informal 6) Other:	Date		

Art Unit: 2616

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 01/15/08 has been entered.

Response to Arguments

2. Applicant's arguments filed 01/15/08 have been fully considered but they are not persuasive.

The applicant argues on page 9, first paragraph, that Hulbert does not disclose a sum of energy, applicant's invention as presently claimed in amended independent claims 1 and 14, recite in part, "repeating [retransmitting] until a sum of the first and further symbol energy amounts... is great enough to ..." The examiner disagrees. Hulbert clearly teaches at col. 3, lines 14-19 (see figure 2):"In the transmitting station 20 (figure 2, reference 20, base station means), the bit which was transmitted is compared against the bit reflected back from the receiving station (figure 2, reference 22, mobile station means) in order to identify those bits which were received in error at the receiving station. Whenever an error is detected, the transmitted power is increased by an amount UdB (a sum of the first and further symbols energy amounts means). Hulbert teaches further at col. 4, lines 6-10 (see figure 2):"If the bit are different, indicating an

error, then the output will be high (1), and the accumulator input will be fed with +Up Step." The output of the accumulator (a sum of the first and further symbols energy amounts means) controls the power of the transmitter 38 in a logarithmic fashion."

On page 9, third paragraph, the applicant argues that Hulbert does not disclose applicant's invention as presently claimed in amended independent claims 1 and 14, recite in part, "the traffic information is transmitted...with a further symbol energy amount that is also insufficient by itself for correct demodulation of the traffic information." The examiner disagrees. Hulbert clearly teaches at col. 3, lines 17-19 (see figure 2):"Whenever an error is detected, the transmitted power is increased by an amount UdB (a further symbol energy amount that is also insufficient by itself for correct demodulation of the traffic information means). Hulbert teaches further at col. 4, lines 6-10 (see figure 2):"If the bit are different, indicating an error, then the output will be high (1), and the accumulator input will be fed with +Up Step." The output of the accumulator (a further symbol energy amount that is also insufficient by itself for correct demodulation of the traffic information means) controls the power of the transmitter 38 in a logarithmic fashion."

On page 9, fifth paragraph, the applicant argues that Hulbert does not disclose applicant's invention as presently claimed in amended independent claims 1 and 14, recite in part, "transmitting traffic information from the base station...retransmitting from the base station the traffic information... and repeating [retransmitting from the base station]..." The examiner disagrees. Hulbert teaches at col. 3, line 56 to col. 4, line 10 (see figure 2):"...The transmitting station 20 (figure 2, reference 20, base station means)

modulates the data from data source 24 via modulation circuit 28 onto the transmitter at the current power level via combiner/splitter and antenna 20a (transmitting traffic information from the base station means)...If the bit are different, indicating an error, then the output will be high (1), and the accumulator input will be fed with +Up Step."

The output of the accumulator (retransmitting, and repeating [retransmitting] from the

Page 4

The applicant argues with respect to claim 3 on page 10, sixth paragraph, that the nonobviousness of amended independent claim 1 precludes a rejection of claim 3 which depends therefrom because a dependent claim is obvious only if the independent claim which it depends is obvious. The examiner disagrees. Claim 1 is rejected (see the examiner response above with regard to claim 1). Therefore, claim 3 is also rejected.

base station means) controls the power of the transmitter 38 in a logarithmic fashion."

The applicant argues with respect to claims 7 and 10 on page 11, second paragraph, that the nonobviousness of amended independent claim 1 precludes a rejection of claims 7 and 10 which depends therefrom because a dependent claim is obvious only if the independent claim which it depends is obvious. The examiner disagrees. Claim 1 is rejected (see the examiner response above with regard to claim 1), therefore, claims 7 and 10 are also rejected.

The applicant argues with respect to claim 12 and 13 on page 12, second paragraph, that Hulbert in view of Boettger does not and cannot render obvious under 35 U.S.C. 103(a), because the cited references, either individually or in any proper combination, do not teach or suggest all of the claims limitations such as a sum of energy, energy itself being insufficient for correct demodulation, and repeating

Art Unit: 2616

retransmission in the same transmission direction. The examiner disagrees. The examiner refers to the same response with respect to claims 1 and 14 above.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 4. Claims 1, 4-6, 8-9, 11 and 14 are rejected under 35 U.S.C. 102(b) as being anticipated by Hulbert (US 5,713,074).

For claim 1, Hulbert discloses mobile radio power control device using the comparison of retransmitted data, comprising the steps of:

- (A) intentionally transmitting traffic information from the base station (figure 2, reference 20) with a first symbol energy amount that is intentionally insufficient for correct demodulation of the traffic information by a mobile station (figure 2, reference 22)(col. 3, lines 7-10, and col. 3, lines 17-20);
- (B) after step (A), retransmitting from the base station (figure 2, reference 20) the traffic information initially transmitted with the first symbol energy amount, wherein the traffic information is retransmitted in step (B) with a further symbol energy amount that is also insufficient by itself for correct demodulation of the traffic information by the mobile station (col. 3 lines 17-20); and
 - (C) repeating step (B) until a sum of the first and further symbol energy amounts

Application/Control Number: 09/779,719

Art Unit: 2616

used to transmit the traffic information is great enough to permit correct demodulation by the mobile station (col. 3, lines 7-24, and col. 4, lines 1-10).

For claim 4, Hulbert discloses further comprising the steps of:

- (D) determining, at the mobile station (figure 2, reference 22), a received energy value corresponding to the traffic information transmitted from the base station (figure 2, reference 20) in step (A)(col. 3, lines 14-17); and
- (E) transmitting the received energy value from the mobile station (figure 2, reference 22) to the base station (figure 2, reference 20)(col. 3, lines 7-10);
- (F) wherein the further symbol energy amount used for re-transmitting the traffic information in step (B) is determined at the base station (figure 2, reference 20) in accordance with the received energy value transmitted from the mobile station (figure 2, reference 22)(col. 3, lines 21-24).

For claim 5, Hulbert discloses wherein the received energy value is transmitted from the mobile station to the base station (figure 2, reference 20) using an acknowledgement protocol (col. 3, lines 7-10).

For claim 6, Hulbert discloses wherein acknowledgement protocol is transmitted between the base station (figure 2, reference 20) and the mobile station (figure 2, reference 22) using forward and reverse control channels (col. 3, lines 7-10).

For claim 8, Hulbert disclose wherein the received energy value is transmitted from the mobile station (figure 2, reference 22) to the base station (figure 2, reference 20) using a negative acknowledgement protocol (col. 3, lines 7-10).

For claim 9, Hulbert disclose wherein acknowledgement protocol is transmitted

between the base station (figure 2, reference 20) and the mobile station (figure 2, reference 22) using forward and reverse control channels (col. 3, lines 7-10).

For claim 11, Hulbert discloses further comprising the step of:

- (D) summing the traffic information transmitted with the first symbol energy amount in step (A) with the traffic information transmitted with the further symbol energy amount in step B) by combining received energy associated with the traffic information transmitted with the first symbol energy amount in step (A) with received energy associated with the traffic information transmitted with the further symbol energy amount in step (B) in a buffer at the mobile station (figure 2, reference 22)(col. 3, lines 21-24, and col. 4, lines 1-10); and
- (E) demodulating the traffic information at the mobile station in accordance with the result of step (D)(col. 3, lines 7-10, and col. 4, lines 1-10).

For claim 14, Hulbert discloses mobile radio power control device using the comparison of retransmitted data, comprising:

- (A) means for intentionally transmitting traffic information from the base station (figure 2, reference 20) with a first symbol energy amount that is insufficient for correct demodulation of the traffic information by a mobile station (figure 2, reference 22)(col. 3, lines 7-10, and col. 3, lines 17-20); and
- (B) means for re-transmitting the traffic information with a further symbol energy amount that is also insufficient by itself for correct demodulation of the traffic information by the mobile station (figure 2, reference 22)(col. 3, lines 17-20); and
 - (C) means for repeating step (B) until a sum of the symbol energy amounts used

Art Unit: 2616

to transmit the traffic information initially transmitted with insufficient symbol energy for correct demodulation is great enough to permit correct demodulation by the mobile station (figure 2, reference 22)(col. 3, lines 7-24, and col. 4, lines 1-10).

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 7. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hulbert (US 5,713,074) in view of Jalali et al. (US 6,154,659).

For claim 3, Hulbert does not expressly disclose wherein the further symbol energy amount used for re-transmitting the traffic information in step (B) is determined at the base station using fast forward power control. In an analogous art, Jalali et al. disclose wherein the further symbol energy amount used for re-transmitting the traffic

information in step (B) is determined at the base station using fast forward power control whether to transmit a power up or power down (figure 1, col. 6, lines 12-22).

One skilled in the art would have recognized the wherein the further symbol energy amount used for re-transmitting the traffic information in step (B) is determined at the base station using fast forward power control, and would have applied Jalali et al.'s fast forward link power control system in Hulbert's power control device. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Jalali et al.'s fast forward link power control in a code division multiple access system in Hulbert's mobile radio power control device using the comparison of retransmitted data with the motivation being adjusted as rapidly as possible (col. 6, lines 12-14).

8. Claims 7 and 10 rejected under 35 U.S.C. 103(a) as being unpatentable over Hulbert (US 5,713,074) in view of Seo (US 6,581,176).

For claims 7 and 10, Hulbert does not expressly disclose wherein the traffic information is transmitted in steps (A) and (B) on a supplemental channel, and the forward and reverse control channels have a lower error rate than the supplemental channel. In an analogous art, Seo discloses wherein the traffic information is transmitted in steps (A) and (B) on a supplemental channel, and the forward and reverse control channels have a lower error rate than the supplemental channel (col. 1, lines 53-55).

Seo discloses wherein the traffic information is transmitted in steps (A) and (B) on a supplemental channel, and the forward and reverse control channels have a lower error rate than the supplemental channel (col. 1, lines 53-55 as set forth in claim 10).

Art Unit: 2616

One skilled in the art would have recognized the wherein the traffic information is transmitted in steps (A) and (B) on a supplemental channel, and the forward and reverse control channels have a lower error rate than the supplemental channel, and would have applied Seo's SCH in Hulbert's power control device. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Seo's method for transmitting control frames and user data frames in mobile radio communication system in Hulbert's mobile radio power control device using the comparison of retransmitted data with the motivation being transmitted the NAK control frames over a supplemental channel (SCH) (col. 1, lines 53-54).

9. Claims 12 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hulbert (US 5,713,074) in view of Boettger et al. (US 6,625,132).

For claim 12, Hulbert discloses mobile radio power control device using the comparison of retransmitted data, comprising:

(A) a power allocation unit at the base station controller (figure 2, reference 20) that selects a first symbol energy amount for transmitting traffic information from the base station transceiver (figure 20, reference 20a) to the mobile station (figure 2, reference 22), wherein the power allocation unit allocates power among a number of different streams of the traffic information (col. 3, lines 20-21-22) such that none of the streams are initially transmitted with enough power for correct demodulation by the mobile station (figure 2, reference 22), and the power allocation unit selects a further symbol energy amount for re-transmitting the traffic information from the base station transceiver (figure 2, reference 20a) to the mobile station (figure 2, reference 22),

Art Unit: 2616

wherein the further symbol energy amount is also insufficient by itself for correct demodulation of the traffic information by the mobile station (figure 2, reference 22)(col. 3, lines 17-24);

- (B) a base station transmitter (figure 2, reference 20a) that initially transmits the traffic information from the base station transceiver to the mobile station (figure 2, reference 22) at the first symbol energy amount and subsequently transmits the traffic information from the base station transceiver (figure 2, reference 20a) to the mobile station (figure 2, reference 22) at the further symbol energy amount (col. 3, lines 21-24); and
- (C) combines retransmitted traffic information from each of the streams of the traffic information until a sum of the symbol energy amounts used to transmit the traffic information initially transmitted with insufficient symbol energy for correct demodulation is great enough to permit correct demodulation by the mobile station (figure 2, reference 22)(col. 3, lines 7-24, and col. 4, lines 1-10).

However, Hulbert does not expressly disclose a buffer in the mobile station. In an analogous art, Boettger et al. disclose a buffer in the mobile station (figure 6B, reference 662, col. 11, line 5).

One skilled in the art would have recognized the buffer in the mobile station, and would have applied Boettger et al.'s buffer 662 in Hulbert's power control device.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Boettger et al.'s idle intersystem roaming determination and system reselection in a CDMA wireless communication system in Hulbert's mobile radio power

control device using the comparison of retransmitted data with the motivation being stored data.

For claim 13, Hulbert discloses mobile radio power control device using the comparison of retransmitted data, comprising:

- (A) a power allocation unit at the base station (figure 2, reference 20) that selects a first symbol energy amount for transmitting traffic information from the base station to the mobile station (figure 2, reference 22), wherein the first symbol energy amount is insufficient for correct demodulation of the traffic information by the mobile station, and the power allocation unit selects a further symbol energy amount for re-transmitting the traffic information from the base station (figure 2, reference 22) to the mobile station (figure 2, reference 22), wherein the further symbol energy amount is also insufficient by itself for correct demodulation of the traffic information by the mobile station (col. 3, lines 7-24); and
- (B) a base station transmitter (figure 2, reference 20a) that initially transmits the traffic information from the base station (figure 2, reference 20) to the mobile station (figure 2, reference 22) at the first symbol energy amount and subsequently transmits the traffic information from the base station (figure 2, reference 20) to the mobile station (figure 2, reference 22) at the further symbol energy amount (col. 3, lines 21-24); and
- (C) combines retransmitted traffic information until a sum of the symbol energy amounts used to transmit the traffic information initially transmitted with insufficient symbol energy for correct demodulation is great enough to permit correct demodulation (col. 3, lines 7-24, and col. 4, lines 1-10).

Art Unit: 2616

However, Hulbert does not expressly disclose a buffer in the mobile station. In an analogous art, Boettger et al. disclose a buffer in the mobile station (figure 6B, reference 662, col. 11, line 5).

One skilled in the art would have recognized the buffer in the mobile station, and would have applied Boettger et al.'s buffer 662 in Hulbert's power control device.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Boettger et al.'s idle intersystem roaming determination and system reselection in a CDMA wireless communication system in Hulbert's mobile radio power control device using the comparison of retransmitted data with the motivation being stored data.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to TOAN D. NGUYEN whose telephone number is (571)272-3153. The examiner can normally be reached on M-F (7:00AM-4:30PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Huy Vu can be reached on 571-272-3155. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/T. D. N./

Examiner, Art Unit 2616

/Huy D. Vu/

Supervisory Patent Examiner, Art Unit 2616